



## TiffView V1.16: Registry entries

### 1 General entries (HKEY\_LOCAL\_MACHINE)

HKEY\_LOCAL\_MACHINE\Software\Obeng\TiffView\Misc\

Data fields:

Name	Type	Content
Name	String	Name of licensee. This value can be found at the sheet with the license information.
License	String	License code. This value can be found at the sheet with the license information.
HideSaveAs	DWORD	1 = The menu item <i>Save as...</i> is not displayed. Value other than 1: The menu item <i>Save as...</i> is displayed. Default: 0 Version: V1.12 and higher
HideDocNavigation	DWORD	1 = The menu items <i>File / Next file</i> and <i>File / Previous file</i> and the related icons are <b>not</b> displayed. Value other than 1: The menu items <i>File / Next file</i> and <i>File / Previous file</i> and the related icons are displayed. Default: 0 Version: V1.14 and higher
HideSendMail	DWORD	1 = The menu item <i>File / Send by mail</i> and the related icons are <b>not</b> displayed. Value other than 1: The menu item <i>File / Send by mail</i> and the related icons are displayed. Default: 0 Version: V1.15 and higher



## 2 General entries (HKEY\_LOCAL\_MACHINE & HKEY\_CURRENT\_USER)

HKEY\_LOCAL\_MACHINE\Software\Obeng\TiffView\Misc\ and  
HKEY\_CURRENT\_USER\Software\Obeng\TiffView\Misc\

Data fields:

Name	Type	Content
About	String	0 = After starting the program, the About dialog box is displayed. 1 = After starting the program, the About dialog is not displayed. Default: 0
Language	DWORD	0 = <i>TiffView</i> starts with German user interface. 1 = <i>TiffView</i> starts with English user interface. Default: 0
Maximized	DWORD	0 = <i>TiffView</i> will not start maximized. 1 = <i>TiffView</i> starts maximized. The current value is saved when you exit from <i>TiffView</i> . Default: 0
PosX1, PosX2, PosY1, PosY2	DWORD	Position and size of the main window in which <i>TiffView</i> is displayed after starting the program. When you exit <i>TiffView</i> the current size and position of the main window are saved.
GuiLook	DWORD	User interface look. 1 = Windows2000 2 = Office XP 3 = Windows XP 4 = Office 2003 5 = Visual Studio 2003 6 = Visual Studio 2008 7 = Office 2007 Blue 8 = Office 2007 Black 9 = Office 2007 Silver 10 = Office 2007 Aqua 11 = Windows 7 Version: V1.11 and higher



### 3 Thumbnails

HKEY\_LOCAL\_MACHINE\Software\Obeng\TiffView\Thumb\ and  
HKEY\_CURRENT\_USER\Software\Obeng\TiffView\Thumb\

Data fields:

Name	Type	Content
Align	DWORD	Orientation of the bar with the thumbnails. 0 = vertically on the left 1 = horizontally below Default: 0
On	DWORD	Show / hide thumbnails. 0 = The bar with the thumbnails is not visible. 1 = The bar with the thumbnails will be displayed. Default: 1
Quality	DWORD	Quality in which the thumbnails are displayed. 0 = Low 1 = Medium 2 = High Default: 0 (= Low)
Width	DWORD	Width of the thumbnail images in pixels. Range: 100 - 500 Default: 150

Changes take effect after a restart of *TiffView*.



## 4 Detail images

HKEY\_LOCAL\_MACHINE\Software\Obeng\TiffView\Image\ and  
HKEY\_CURRENT\_USER\Software\Obeng\TiffView\Image\

Data fields:

Name	Type	Content
Align	DWORD	Orientation of the image. 0 = centered 1 = top left Default: 0

## 5 Read the entries

Items that can be present in both HKEY\_LOCAL\_MACHINE and HKEY\_CURRENT\_USER are read from the registry as follows:

- 1) The entry is searched in HKEY\_LOCAL\_MACHINE. If the entry is found, the value of HKEY\_LOCAL\_MACHINE is read and used.
- 2) If the entry in HKEY\_LOCAL\_MACHINE cannot be found, he is searched in HKEY\_CURRENT\_USER. If the entry is found, the value of HKEY\_CURRENT\_USER is read and used.
- 3) If the entry is not found in HKEY\_CURRENT\_USER, the default value is used.